



a global presence

PALLET BLOCKS
PACKAGING TIMBER

PALLET BLOCKS

MAIN FEATURES



Material

The basic materials are natural coniferous and recycled timber chips. When the bonded chips are compressed under great pressure and high temperature, this produces a homogenous and high-quality wood material. Pallet blocks in connection with the advantages of boards out of waxed wood (bending and flexibility) result into palettes of high quality.

Quality

EUROBLOCK-pallet blocks are manufactured according to stringent quality criteria and the production process is monitored by SGS Gottfeld NDT Services GmbH. As a result of their superior product and application features, **EUROBLOCK**-pallet blocks are approved by EPAL, major rental pools and many big end users.

Export regulations

EUROBLOCK-pallet blocks are classed as „no-solid-wood“ and do not require any special handling. See information “no-solid-wood” at



PEFC certified
This product is from sustainably managed forests and controlled sources.
www.pefc.org



PEFC certified and recycled
This product is from sustainably managed forests, recycled and controlled sources.
www.pefc.org

Presswood Int. BV

Main features



- ≡ No splitting
- ≡ Low space requirement for storage
- ≡ Low needs for repairs



- ≡ High nail retention resistance
- ≡ Longer service life
- ≡ Constant quality



- ≡ Very good safety for automatic pallet production and in computer-controlled high bay shelving warehouses
- ≡ Ready for installation
- ≡ More efficient production
- ≡ No investment for cross-cutting and planing equipment
- ≡ No off-cuts, no waste



- ≡ No drying costs. Residual moisture content after production approx. 10%”
- ≡ True to size with uniform moisture content
- ≡ Retains shape if the temperature fluctuates



- ≡ Environmentally friendly timber product of natural coniferous chips and old timber/ recycling material
- ≡ Contains no CFCs
- ≡ Biologically degradable



- ≡ “no-solid-wood” material according to international regulations for the treatment of timber packaging – ISPM15
- ≡ No SIREX treatment required
- ≡ No mould or insect damage

EUROBLOCK-pallet blocks made of wood chips – for pallets and timber packaging of all types.

Special heights of 60–120 mm on request.

Rectangular pallet blocks



LENGTH X WIDTH in mm	STANDARD HEIGHT in mm
100 x 145	78 / 75 / 90 / 95 / 100
145 x 145	78 / 90 / 100
(EUR) / EPAL	78
70 x 70	70 / 75 / 78 / 82 / 85 / 90 / 95
75 x 75	75 / 78 / 85 / 90 / 95 / 100
73 x 90	75 / 78
75 x 95	75 / 78 / 90 / 95
75 x 115	78 / 75 / 90 / 95
75 x 133	78 / 75 / 90 / 95
78 x 78	75 / 78
78 x 95	75 / 78 / 90 / 95 / 100
90 x 90	70 / 75 / 78 / 85 / 90 / 95 / 100
78 x 98	90 / 95
78 x 118	90 / 95
78 x 133	90 / 95
90 x 135	70 / 75 / 78 / 85 / 90 / 95 / 100
93 x 115	78
95 x 95	75 / 78 / 90 / 95 / 100
95 x 138	65 / 78 / 90 / 95
95 x 160	78 / 95
135 x 135	78 / 90

CP pallet blocks



LENGTH X WIDTH in mm	STANDARD HEIGHT in mm
78 x 98	78 / 75
78 x 118	78 / 75
78 x 133	78 / 75


Paper pallets Round pallet blocks



LENGTH X WIDTH in mm	STANDARD HEIGHT in mm
75 x 50	78 / 90 / 95
∅ 75	75 / 78 / 90 / 95 / 100

How to read the dimensions

78 x 98 x 78
 Length Width Height



PACKAGING TIMBER

TYPES AND DIMENSIONS



Delivery plant Unterbernbach

Spruce – Fir – Pine

fresh and kiln dried
on request

THICKNESS X WIDTH (STANDARD) IN MM	LENGTH IN M
12 x 70	2,50 – 5,00
15 x 75	2,50 – 5,00
15 x 95	2,50 – 5,00
17 x 78	2,50 – 5,00 *
17 x 98	2,50 – 5,00 *
17 x 115 / 133	2,50 – 5,00 *
18 x 140-160	2,50 – 5,00 *
21 x 95	2,50 – 5,00 *
22 x 100	2,50 – 5,00 *
22 x 145	2,50 – 5,00 *
75 x 90/95	2,50 – 5,00 *
95 x 95	2,50 – 5,00 *

Delivery plant Uelzen

Pine

fresh and kiln dried
on request
Anti blue-stain treatment possible

THICKNESS X WIDTH (STANDARD) IN MM	LENGTH IN M
12 x 70	2,00 – 2,40
14 x 70	2,00 – 2,40
15 x 75	2,00 – 2,40
17 x 78	2,00 – 2,40
17 x 98	2,00 – 2,40
17 x 118	2,00 – 2,40
17 x 133	2,00 – 2,40
22 x 78 / 115	2,00 – 2,40
22 x 98	2,00 – 2,40
22 x 143	2,00 – 2,40
78 x 78	2,00 – 2,40
78 x 98/143	2,00 – 2,40

Delivery plant Lauterbach

Spruce – Fir – Pine

fresh and kiln dried
on request
Anti blue-stain treatment possible

THICKNESS X WIDTH (STANDARD) IN MM	LENGTH IN M
12 x 70	2,00 – 5,00
14 x 75	2,00 – 5,00
14 x 95	2,00 – 5,00
16 x 75	2,00 – 5,00
17 x 78	2,00 – 5,00 *
17 x 98	2,00 – 5,00 *
18 x 120/135	2,00 – 5,00 *
22 x 100	2,00 – 5,00 *
22 x 145	2,00 – 5,00 *
78 x 78	2,00 – 5,00 *
78 x 98	2,00 – 5,00 *
75 x 90/95	2,00 – 5,00 *

* KD possible

Cut to size

Long material or cross-cut to size, e. g. 800 / 1000 / 1140 / 1200 etc.

Special sizes such as 19 x 130 or 22 x 122 mm possible and a wide range of other dimensions available.

We are local – globally! Joint-ventures with our sales and production sites give us a global presence so that we can supply all customers on a just-in-time basis. Additionally, our 40 years of experience in block production enable us to meet all our customers' requirements – perfectly.

1 Unterbernbach

solid cubic meter round logs/year
 Sawm timber products:
 560.000 m³/year
 Kiln drying capacity:
 400.000 m³/year
 Pallet blocks: 205.000 m³/year
 Pellets: 150.000 to/year
 Power plant:
 80 Mio. kWh electricity



1



2

2 Uelzen

Sawmill capacity: 600.000
 solid cubic meter round logs/year
 Sawm timber products:
 360.000 m³/year
 Pallet blocks: 250.000 m³/year
 Power plant:
 55 Mio. kWh electricity



3



4

3 Lauterbach

Sawmill capacity:
 1.000.000 solid cubic meter round
 logs/year spruce and pine
 Sawm timber products:
 600.000 m³/year
 Kiln drying capacity:
 300.000 m³/year
 Pallet blocks: 200.000 m³/year
 Pellets: 70.000 to/year
 Power plant:
 75 Mio. kWh electricity

4 Ermelo

Pallet blocks: 345.000 m³/year

5

EUROBLOCK

Verpackungsholz GmbH

Mühlenstraße 7 · D-86556 Unterbernbach
phone +49 8257 81-209 · fax +49 8257 81-221
info@euroblock.com

EUROBLOCK

Verpackungsholz GmbH

Lokhorstweg 13a · NL-3851 SE Ermelo
phone +31 341 562 562 · fax +31 341 563 646
verkoop@euroblock.nl

